## Math 4329 MATRIX ARITHMETIC

Worksheet 10

Name: \_\_\_\_\_

1. Compute the inverse of the Hilbert Matrix of order 2, 3, 4.

- **2.** Transpose of a matrix A is  $A^T$  obtained by interchanging the rows and the columns of A.
  - (a) Find out all the numeric entries of A satisfying the following:

$$A = \begin{bmatrix} a & b & 1 \\ 2 & c & d \end{bmatrix} = \begin{bmatrix} 5 & 6 & 1 \\ 2 & 2 & a+1 \end{bmatrix}$$

(b) What is the transpose of A i.e.,  $A^T$ ?

(c) What is the inverse of A ?

(d) Find out  $A^*A^T$  and  $A^T^*A$ .

**3.** Let

$$A = \begin{bmatrix} 2 & 3 & 2 \\ -1 & 2 & -1 \end{bmatrix}, \quad B = \begin{bmatrix} 1 & 0 \\ 2 & -1 \\ 3 & 1 \end{bmatrix}, \quad C = \begin{bmatrix} 1 & 0 & 6 & 3 \\ 2 & -1 & 2 & 4 \\ 3 & 1 & 12 & 7 \end{bmatrix}.$$

• Compute A\*B, A\*C.

• Is it possible to compute B\*A, C\*A as well ? If yes, please compute it. If not, please provide the reason.

**4.** Let

$$A = \begin{bmatrix} 2 & 1 & 0 \\ 1 & 2 & 1 \\ 0 & 1 & 2 \end{bmatrix}, \quad B = \begin{bmatrix} 3/4 & -1/2 & 1/4 \\ -1/2 & 1 & -1/2 \\ 1/4 & -1/2 & 3/4 \end{bmatrix}$$

(a) Using Gaussian Elimination, find the inverse of A.

(b) Verify that it is B by computing  $A^*B$  and  $B^*A$ .

5. Simplify the following matrix expressions to obtain a single matrix:

(a)  

$$2\begin{bmatrix} 1 & 0 \\ -1 & 3 \end{bmatrix} + \begin{bmatrix} 1 & -1 \\ 1 & -1 \end{bmatrix} * \begin{bmatrix} 2 & 3 \\ 1 & 3 \end{bmatrix}$$
(b)  $A = I_3 - 2x * x^T$ ,  $x^T = [1/3, 2/3, 2/3]$ ,  $B = A^2$ .

6. Solve the system below:

$$4x_1 + 3x_2 + 2x_3 + x_4 = 1$$
  

$$3x_1 + 4x_2 + 3x_3 + 2x_4 = 1$$
  

$$2x_1 + 3x_2 + 4x_3 + 3x_4 = -1$$
  

$$x_1 + 2x_2 + 3x_3 + 4x_4 = -1$$

by converting it to the form Ax = b and using Gaussian Elimination. Give a count of the number of mathematical operations involved at each step.

- 7. List the following statements as true or false. If false give an example to support your answer.
  - (a) If A is invertible then  $\det(A) \neq 0$ .

(b) det(AB) = det(A)det(B).

(c) A is a  $3 \times 4$  matrix does its inverse exist ?

(d)  $\det(\mathbf{A}) = \det(\mathbf{A}^T)$